

Before returning this product to the store of purchase

Contact Dee Zee if you experience the following problems:

- Missing Parts
- Installation Problems/Questions
- Warranty Questions

1.800.779.2102

Hours of operation: 8am - 5pm CST, Mon-Friday

Review complete warranty policy and register your product at:

www.deezee.com



Dee Zee Toolbox Installation Instructions

Congratulations on your purchase of a quality Dee Zee product. Dee Zee is recognized as having the highest quality running boards and accessories on the market today. We have earned this reputation by offering our customers a product they can be proud to place on their vehicles. Dee Zee meets all the criteria of manufacturing a custom-fit product which guarantees it to be the easiest product to install.

Note: Please take time to read all of the instructions before beginning this installation.

Note: Use J-Bolt provided or WARRANTY IS VOID...DO NOT USE self tapping screws to mount.

Warning! If it is necessary to drill any holes into the vehicle, Dee Zee recommends putting a sealant or rust inhibitor around all holes drilled into the body of the vehicle.

Cleaning Instructions: To maintain the bright finish of your Dee Zee Stainless Steel Toolbox, clean with a mild detergent and then apply a high grade automotive type wax.

If you should happen to have any questions with this product or you have an installation question, please feel free to call us at:

1-800-779-8222

If you would like to find out more information on Dee Zee's products please feel free to visit our website at:

WWW.DEEZEE.COM


Fifth Wheel Tool Box Installation Instructions

Fifth Wheel Toolbox:


Toolbox lid design may vary from picture with different toolbox models.

Cinquième Boîte à outils De Roue:

La conception de couvercle de boîte à outils peut changer de l'image avec différents modèles de boîte à outils.



5th Wheel Toolbox



MAINTENANCE INSTRUCTIONS: All locks, latches, latching rods, and hinges should be lubricated regularly to assure smooth and proper operation for the life of the toolbox. INST RUCTIONS D'CEntretien: Toutes les serrures, verrous, verrouillant des tiges, et des charnières devraient être lubrifiées régulièrement pour assurer l'exècution sans heurt et appropriée pendant la vie de la boîte à outils. Toolbox Paddle Latch Assembly Front View Toolbox Catch Assembly Top View Ever lose your keys? Save Yourself Time and Trouble? Order some extra keys now and have them when you need them. Please fill out and mail this portion to us. We'll send you a couple of extra keys for your Tool Box for just \$11.00 (American). Day Phone:____ - ____ -Name: Address: Method of Payment: Cash, Check, or Money Order Master Card Visa City, State, Zip:_____ Expiration Date: KEY and LOCK#: Card Number: Please mail form and payment to: Dee Zee, Inc. P.O. Box 3090 Fax to: 515-265-7926 Des Moines, IA 50316 CLEANING INSTRUCTIONS: To maintain the luster of your tool box, use a mild detergent. "Locks are provided as a deterrent to inadvertent opening or easy access to the contents of your toolbox. Contents stored in the toolbox are the responsibility of the user. After drilling, it is recommended that a sealant or rust inhibitor be placed around all holes drilled into the body panel of the vehicle.

Page **5** of **7**

If you should incur any problems with the installation of this product, please feel free to call us at 1-800-779-8222. So that we may better serve you when you call, please have the W/O#, SEQUENCE#, and the DATE from the label on the outside of the box.



