



**Before returning this product
to the store of purchase**

Contact Dee Zee if you experience the following problems:

- Missing Parts
- Installation Problems/Questions
- Warranty Questions

1.800.779.2102

Hours of operation: 8am - 5pm CST, Mon-Friday

Review complete warranty policy and register your product at:

www.deezee.com/warranty.php

INSTALLATION INSTRUCTION

Side Bar Part#DZ371031/371032/371033

04-08 Colorado/Canyon 4 DR Ext. Cab and 4 DR Crew Cab

QTY	Description
2	Front Mounting Brackets
2	Rear Mounting Brackets
1	Driver Side Bar
1	Passenger Side Bar
4	1/2 -13X2.00 hex head bolt
4	1/2" flat washer
4	1/2" lock washer

Step 1: Verify that all parts & hardware are present. Read instructions completely before installing.

Step 2: Remove existing body mount bolts from underside of cab. See Figure 1
Note: Existing body mount bolts will need to be tapped with hammer to get it out of the bushing and will need to be tapped back during installation.

Step 3: Attach the front and rear mounting brackets to the body mounts using the existing body mount bolts, leave loose.

Step 4: Place the side bars into position.(Note: Passenger side bar was packaged with a pink sleeve)

Step 5: Attach the side bars to the mounting brackets with the 1/2 hardware. Attach the 3 plastic ring to each end of the bars. (provided) See Figure 1

Step 6: Verify that the side bars are level and square with the side of the vehicle and then completely tighten all hardware.

Step 7: Periodically check and retighten the hardware as necessary.

* Be sure to use all hardware supplied and tighten all bolts.

Product Specifications:

Side Bars have a 300 lb. Weight capacity.

Cleaning Instructions:

For stainless steel may be used to polish small scratches and scuffs on the finish. Mild soap, window or glass cleaner may be used to clean stainless steel.

For black powder coated finish. Mild soap, window and glass cleaner may be used. Do not use any type of polish or wax that contains abrasive that could damage the finish.




Fig. #2





Fig. #1

FULL ASSEMBLY



DF

DR



PF

DF



(3 of 3)

