



**Before returning this product
to the store of purchase**

Contact Dee Zee if you experience the following problems:

- Missing Parts
- Installation Problems/Questions
- Warranty Questions

1.800.779.2102

Hours of operation: 8am - 5pm CST, Mon-Friday

Review complete warranty policy and register your product at:

www.deezee.com/warranty.php

Congratulations on your purchase of a quality Dee Zee product. Dee Zee is recognized as having the highest quality running boards and accessories on the market today. We have earned this reputation by offering our customers a product they can be proud to place on their vehicles. Dee Zee meets all the criteria of manufacturing a custom-fit product which guarantees it to be the easiest product to install.

Instructions: Please take the time to read all of the installation instructions carefully before beginning this installation.

TWO YEAR WARRANTY FOR CHROME STEEL AND BLACK STEEL PRODUCTS

Dee Zee Manufacturing, Inc. guarantees the original purchaser of Dee Zee products a two year warranty against manufacturing defects in materials, workmanship, and finish under normal use. **Warranty does not include shipping damage, product misuse, improper installation, road hazards, impairments from accidents, product modifications or product neglect, and or scratches during the life of the product. This warranty does not include rust incurred / and or corrosion to the installation brackets over the life of the product.** This five year warranty applies only to new products and is limited to the repair or replacement of Dee Zee products. Warranty does not include costs of removal, installation, labor, inconvenience or consequential damages. Original purchaser must return defective merchandise, along with the purchase receipt, to the original place of purchase.

FINISH PROTECTION AND CLEANING INSTRUCTIONS

Dee Zee products have a high quality finish that must be cared for like any other exposed finish on the vehicle. Protect the finish with a non-abrasive automotive wax, (e.g. Pure Carnauba) on a regular basis. The use of any soap, polish, or wax that contains an abrasive is detrimental to the finish, as the compounds scratch the finish and open it to corrosion. The use of a black automotive type touch up paint is recommended to cover up any rock chips that would be incurred during everyday use to help in the prevention of corrosion.

LIFETIME WARRANTY FOR CHROME STAINLESS STEEL PRODUCTS

Dee Zee Manufacturing, Inc. guarantees the original purchaser of Dee Zee products a lifetime warranty against manufacturing defects, materials, workmanship, and finish under normal use. **Warranty does not include shipping damage, product misuse, improper installation, road hazards, impairments from accidents, product modifications or product neglect, and or scratches during the life of the product. This lifetime warranty does not include rust incurred / and or corrosion to the installation brackets over the life of the product.** This lifetime warranty applies only to new products and is limited to the repair or replacement of Dee Zee products. Warranty does not include costs of removal, installation, labor, inconvenience or consequential damages. Original purchaser must return defective merchandise, along with the purchase receipt, to the original place of purchase.

FINISH PROTECTION AND CLEANING INSTRUCTIONS

Dee Zee products have a high quality finish that must be cared for like any other exposed finish on the vehicle. Protect the finish with a non-abrasive automotive wax, (e.g. Pure Carnauba) on a regular basis. The use of any soap, polish, or wax that contains an abrasive is detrimental to the finish, as the compounds scratch the finish and cause corrosion.

*If you should incur any problems with the installation of this product, please call us at
1-800-779-8222.*

*So that we may better serve you when you call, please have the Part Number, Bar Code
Number or Upc Code from the labels on the outside of the box.*

Dee Zee Black Grillguard Installation Instructions

DZ 501445

(2005 – Current) Jeep Grand Cherokee

Parts List:

QTY:1 - Black Grillguard
QTY:1 - Passenger Side Mounting Bracket
QTY:1 - Driver Side Mounting Bracket
QTY:2 - Bolt Bracket
QTY:6 – ½ x 2" Hex Head Bolt
QTY:6 – ½" Lock Nut
QTY: 12 – ½" Flat Washer
QTY:2 – 7/16" Flat Washer
QTY:2 – M10 Hex Head Bolt
QTY: 2 – M10 Hex Nut
QTY:2 – 7/16" Lock Washers
QTY:4 – 3/8" Flat Washers
QTY:4 – 3/8" Lock Nuts
QTY:1 – 3/8" Bolt Guide

Tools Required:

¾" Socket
9/16" Socket
15mm Socket
7/32" Allen Wrench
Ratchet
Ratchet Extension

Installation Instructions:


1. Read and understand instructions before beginning installation.
2. If your vehicle uses hooks, it is necessary to remove them in order to install main brackets, hook brackets will not be used anymore, hooks are going to be reused.
3. Locate existing holes, insert M10 bolts with the bolt guide, as shown in Picture 1 & 2. Insert the bolts brackets, like picture 3, then install the main brackets, tighten them to the rear part of the bracket using flat and lock washer, and M10 hex. nut, in the front part, with flat washer and 3/8" hex. nut. Leave loose.
4. Attach the frontguard up to the main brackets using 1/2 x 2" hex. head bolts, 1/2" flat washers and lock nut. Leave loose. Note: To use the hooks, tighten them, with the brackets and the frontguard plate, using the bolts provided. Picture 4.
5. Make any final adjustment of the Frontguard alignment and tighten all bolts. NOTE: before tightening bolts, be sure the Euroguard does not interfere with opening and closing of the hood.
6. You may need to periodically re-tighten the bolts.

Picture 1




Here, insert the M10 bolt with guide

Picture 2



Through this hole, the bolt has to come out in order to tighten the



Picture 3

The bolts bracket must be installed by the biggest hole and to come out by the circular hole.

Driver side.



Picture 1

In these bolts the hook will be located, in the other side (to outside).

Driver side



Picture 5

Euroguard installed.

