

# Hellwig Helper Springs

## **Pro Series**

Featuring its patented bolt on design, “Silent Ride” polyurethane stability blocks, plated and powder coated components and easy to follow installation instructions make this the helper spring of choice for do-it-yourself and professionals alike. Manufactured with heat treated ASTM 5160 alloy spring steel in our California based facility, these units increase your vehicles level load carrying capacity up to the manufacturer’s Gross Vehicle Weight Rating. With its progressive rate design this helper spring system enables trucks and vans to carry loads with more control and stability. As your load increases this spring automatically increases its rate to resist sagging and tail dragging. Packaged in one box which includes all the heavy duty hardware and installation instructions this unit can be installed in a professional shop or in your own drive way. Simple installation using common hand tools make the Pro Series helper spring a popular and easy to use accessory to assist in all your Tow and Haul needs. Fine tune your vehicles leaf spring suspension to suit your particular needs by adjusting the heavy duty u-bolts provided. If your tow and haul needs change, simply adjust the heavy duty u-bolts to suit the new requirement. Once installed and adjusted you are free to haul and or tow a multitude of equipment and commodities with greater control and stability.

## **LP 25 and LP 35 Series**

This Hellwig Helper Spring set the standard for all other aftermarket helper springs. Featuring Progressive Spring Rate and Fulltime Spring Rate design, this spring is the workhorse of the Hellwig Spring line. With the Progressive design the vehicle must be loaded and its spring compressed to activate the Hellwig spring, therefore as the vehicles load increases the Hellwig helper spring progressively increases its resistance to the load. In the Fulltime design the Hellwig spring immediately reacts to the vehicles load, therefore compressing very little as load is applied to the vehicle.

Manufactured with heat treated ASTM 5160 alloy spring steel these units increase your vehicles level load carrying capacity up to the manufacturer’s Gross Vehicle Weight Rating<sup>1</sup>. Designed to install on full size pick-up trucks and vans, this unit requires mounting hardware to install properly on a 2 1/2 " wide spring or 3" wide leaf springs. When ordering be sure to identify the spring kit and the appropriate mounting hardware kit to complete the installation. Simple bolt on design using common hand tools provide the installer ease of installation and the vehicle owner hassle free use. “Set it and forget it”. The LP 25 is rated at 2500lbs level load carrying capacity and the LP 35 is rated at 3500lbs level load carrying capacity, not exceed the vehicles GVWR<sup>1</sup>.

## **LP 15 Series**

This helper spring line fits the Mid-size and Small pick-up groups. Manufactured with heat treated ASTM 5160 alloy spring steel in our California based facility, these units increase your vehicles level load carrying capacity up to the manufacturer’s Gross Vehicle Weight Rating<sup>1</sup>. Featuring heavy duty components and easy to read installation instructions this helper spring

line-up does a lot of work for its size. Simple bolt on design using common hand tools provide the installer ease of installation and the vehicle owner hassle free use. “Set it and forget it”. With its Progressive Spring Rate this helper spring automatically adjusts its spring rate to the load applied to the vehicle. For example, with the Progressive design the vehicle must be loaded and its spring compressed to activate the Hellwig spring, therefore as the vehicles load increases the Hellwig helper spring progressively increases its resistance to the load. Packaged in one kit this unit comes complete with plated and powder coated components, spring leaves, heavy duty hardware and installation instructions to make this unit easy to install and use. Fine tune your vehicles leaf spring suspension to suit your particular needs by adjusting the heavy duty u-bolts provided. If your tow and haul needs change, simply adjust the heavy duty u-bolts to suit the new requirement. Once installed and adjusted you are free to haul and or tow a multitude of equipment and commodities with greater control and stability.

### **Sport Series**

This helper spring is designed for the weekend or occasional hauler. With ride quality virtually unchanged after installation this, helper spring gives that extra boost when you work your vehicle on the weekend. Hellwig helper springs provide excellent handling and stability for everyday driving. These units come complete with plated and powder coated components and all the necessary hardware and installation instruction make the job easy. Simple bolt on design using common hand tools provide the installer ease of installation and the vehicle owner hassle free use. “Set it and forget it”. As with all Hellwig helper springs, if your tow and haul needs change, simply adjust the heavy duty components to suit the new load requirement. Once adjusted you are free to haul and or tow a multitude of equipment and commodities with greater control and stability. Manufactured with heat treated ASTM 5160 alloy spring steel in our California based facility, these units increase your vehicles level load carrying capacity up to the manufacturer’s Gross Vehicle Weight Rating<sup>1</sup>. With their unique design these helper spring systems enable trucks and vans to carry loads with improved handling, control and stability.

### **EZ-Level**

Our value line-up of Hellwig helper springs; these units pack a lot of capability in every box. Packaged complete with the same heavy duty powder coated and plated components, hardware and installation instructions as our heavy duty helper spring products, these kits are designed for the vehicle that needs lighter assist in carrying the load. Simple bolt on design using common hand tools provide the installer ease of installation and the vehicle owner hassle free use. “Set it and forget it”. Ideally suited for light towing and loads, these units are fully adjustable using the heavy duty u-bolts included in the kit using simple hand tools. If your tow and haul needs change, simply adjust the heavy duty u-bolts to suit the new requirement. Once installed and adjusted you are free to haul and or tow a multitude of equipment and commodities with greater control and stability. Manufactured with heat treated ASTM 5160 alloy spring steel in our

California based facility, these units can increase your vehicles level load carrying capacity up to the manufacturer's Gross Vehicle Weight Rating<sup>1</sup>.

<sup>1</sup> Gross Vehicle Weight Rating, GVWR. The rating assigned to a vehicle stating the maximum allowable load for that vehicle. For example a vehicle with a 6500lb GVWR limits the maximum load of the vehicle and its payload to 6500lbs.

<sup>2</sup> Hellwig works hard to design kits that bolt directly to your vehicle. In some instances and for maximum effectiveness of your installation drilling may be required.