



WWW.SMITTYBILT.COM

Installation Instructions

Extended Top

(Part # 945xx JK 4-Door)

(Part # 941xx JK 2-Door)

Note: Please read instructions thoroughly before installing this product. A windshield header is required to install this. (Smittybilt part # 90105)

Step 1: Remove your hardtop or lower your soft top down (if equipped).

Step 2: Lay your top on its top on a clean surface. Remove the knobs and latch bracket from your header and then slide header into the front of the top. Connect the snaps on the top to the ones on the header. (Fig A, B)

Step 3: Lay the header on top of the windshield frame and spread top back over vehicle. (Fig C)



(Fig A)



(Fig B)



(Fig C)



(Fig D)

For Technical Support/Warranty Information please call 310-762-9944

Smittybilt, 400 West Artesia Blvd, Compton, CA 90220



WWW.SMITYBILT.COM

Installation Instructions

Extended Top

(Part # 945xx JK 4-Door)

(Part # 941xx JK 2-Door)

- Step 4:** Reattach the brackets to the header using the knobs previously removed and secure the header. (Fig D)
- Step 5:** Pull the center flap back over the sound pods and insert plastic hook into the hole. (Fig E) Pull on strap and secure.
- Step 6:** Locate the straps in the rear corners. Wrap the straps around the sport bar and secure. (Fig F)



(Fig E)



(Fig F)

- Step 7:** Wrap the rear flap around the rear horizontal cross bar and secure the two straps. (Fig G)



(Fig G)



(Fig H)

- Step 8:** If your vehicle is equipped with factory door surrounds proceed, if not go to **Step 10.** Slide the plastic strip sewn into the top into the plastic channel on the door surrounds. (Fig H) Tuck the Velcro straps up under the top. Repeat this on each door section of the top.

For Technical Support/Warranty Information please call 310-762-9944

Smittybilt, 400 West Artesia Blvd, Compton, CA 90220



WWW.SMITYBILT.COM

Installation Instructions

Extended Top

(Part # 945xx JK 4-Door)

(Part # 941xx JK 2-Door)

Note: If you have a 2010-2011 with the new door surrounds/soft top (Added plastic extrusion in the top channel part of the door surround) you will not be able to utilize this mounting style, proceed to Step 10.

Step 9: Locate the drain flaps in the front corners and just behind the front door. Fold the top from back to front so it lays flat. Secure with Velcro straps. (Fig I)



(Fig I)



(Fig J)

Step 10: If your vehicle does not have the door surrounds simply attach the top to the roll bar using the remaining Velcro straps along the side of the top going around the sport bar.

Step 11: Make sure all straps are secure. Installation is now complete.

LIMITED WARRANTY

Smittybilt (The Company) warrants to the original purchaser of this product that should the product or any part thereof, under normal use and conditions, be proven defective in material or workmanship within the warranty period of 1 year from the date of purchase, such defect(s) will be repaired or replaced (At the Company's option) without charge for parts or labor. To obtain repair or replacement within the terms of the warranty, the product is to be delivered with proof of warranty coverage (e.g. dated bill of sale, receipt), specification of defect, freight pre-paid with Returns Good Authorization Number from Smittybilt to place of purchase. Items returned to Smittybilt Automotive without an Returns Authorization Number will be refused and returned to sender at the senders expense.

This warranty does not apply to any product or part thereof which, in the opinion of the Company, has suffered or been damaged through altercation, improper installation, mishandling, misuse, neglect accident or acts of nature. **THE EXTENT OF THE COMPANY'S LIABILITY UNDER THIS WARRANTY IS LIMITED TO THE REPAIR OR REPLACEMENT PROVIDED ABOVE AND, IN NO EVENT, SHALL THE COMPANY'S LIABILITY EXCEED THE PURCHASE PRICE PAID BY THE PURCHASER FOR THIS PRODUCT.**

This warranty is in lieu of all expressed warranties and liabilities. ANY IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY SHALL BE LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY. ANY ACTION FOR BREACH OF ANY WARRANTY HEREUNDER INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY MUST BE BROUGHT WITHIN A PERIOD OF 90 DAYS FROM DATE OF ORIGINAL PURCHASE. IN NO CASE SHALL THE COMPANY BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES FOR BREACH OF THIS OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, WHATSOEVER. No person or representative is authorized to assume for the company any liability other than expressed herein in connection with the sale of this product. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damage, therefore above limitations may not apply to you. This warranty gives the purchaser specific legal rights. The purchaser may have additional rights, which vary from state to state.

Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damage, therefore above limitations may not apply to you. This warranty gives the purchaser specific legal rights. The purchaser may have additional rights, which vary from state to state.

For Technical Support/Warranty Information please call 310-762-9944

Smittybilt, 400 West Artesia Blvd, Compton, CA 90220