

# **Installation Instructions**

Sure-Step (Part # CN110-S2) 88-98 C/K Pickup Standard Cab/95-99 Tahoe/Yukon 2 Dr

QTY	DESCRIPTION
1	Side Bar, left side
1	Side Bar, right side
1	Hardware Kit

**NOTE:** Please read this information before installing. Check components received with components listed above. **NO DRILLING REQUIRED** for installation of these side bars. To obtain correct installation we recommend you to follow these step by step installation instructions carefully. Please take care when installing this product to protect the finish and your investment.

Step One: Locate hardware and check contents with the hardware listed below.

QTY	DESCRIPTION
4	12mm x 120mm x 1.75mm hex bolts, 8.8
4	12mm flat washers, zinc plated
4	12mm split lock washers, zinc plated
4	12mm x 50mm hex bolt, zinc plated GR5
4	12mm flat washers, zinc plated
4	12mm split lock washers, zinc plated
1	801086L front support bracket, left side
1	801086R front support bracket, right side
1	801178L rear support bracket, left side
1	801178R rear support bracket, right side

Step Two: Locate the left side bar, one 801086L support bracket, one 801078L support bracket, two #30 plastic rings, two 12mm hex bolts, 12mm flat washers and two 12mm split lock washers. Secure the brackets and rings to the side bar as shown in fig #1. When installing side bar on pickup truck you must use the two lower mounting holes on bracket 801178. Do not fully tighten hardware at his time.

Step Three: Locate two 12mm hex bolts, two 12mm flat washers and two 12mm split lock washers. Remove the front and rear cab mount bolts located under the cab. Place the side bar under the vehicle and position each support bracket under the cab mounts. Secure the support brackets to the bottom of the cab mounts as shown in fig #2 & 3. Fully tighten all hardware at this time. Torque the 12mm x 120mm bolt to 50 ft. lbs, and the 12mm x 50mm to 30 ft lbs.


For Technical Support/Warranty Information please call 310-762-9944



## **Installation Instructions**

Sure-Step (Part # CN110-S2)

88-98 C/K Pickup Standard Cab/95-99 Tahoe/Yukon 2 Dr








Fig #1 Fig #2 Fig #3

Photos are for reference only, actual brackets may be a little different.

Step Four: Repeat steps one through three on opposite side of vehicle.

Be sure to use all hardware supplied and tighten all bolts.

IMPORTANT: These side bars have a 300 lb. weight capacity. To protect your investment, wax this product after installing. Regular waxing is recommended to add a protective layer over the finish.

### **Cleaning and Maintenance**

To protect your investment, wax this product after installing. Regular waxing is recommended to add a protective layer over the finish. Do not use any type of polish or wax that may contain abrasives that could damage the finish.

**For stainless steel**: Aluminum polish may be used to polish small scratches and scuffs on the finish. Mild soap, window or glass cleaner may be used also.

For gloss black finishes: Mild soap, window and glass cleaner may be used.

#### LIMITED WARRANTY

Smittybilt (The Company) warrants to the original purchaser of this product that should the product or any part thereof, under normal use and conditions, be proven defective in material or workmanship within the warranty period of 5 years from the date of purchase, such defect(s) will be repaired or replaced (At the Company's option) without charge for parts or labor. To obtain repair or replacement within the terms of the warranty, the product is to be delivered with proof of warranty coverage (e.g. dated bill of sale, receipt), specification of defect, freight pre-paid with Returns Good Authorization Number from Smittybilt to place of purchase. Items returned to Smittybilt without a Returns Authorization Number will be refused and returned to sender at the senders' expense.

For Technical Support/Warranty Information please call 310-762-9944



## **Installation Instructions**

Sure-Step (Part # CN110-S2) 88-98 C/K Pickup Standard Cab/95-99 Tahoe/Yukon 2 Dr

This warranty does not apply to any product or part thereof which, in the opinion of the Company, has suffered or been damaged through altercation, improper installation, mishandling, misuse, neglect accident or acts of nature. THE EXTENT OF THE COMPANY'S LIABILITY UNDER THIS WARRANTY IS LIMITED TO THE REPAIR OR REPLACEMENT PROVIDED ABOVE AND, IN NO EVENT, SHALL THE COMPANY'S LIABILITY EXCEED THE PURCHASE PRICE PAID BY THE PURCHASER FOR THIS PRODUCT.

This warranty is in lieu of all expressed warranties and liabilities. ANY IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY SHALL BE LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY. ANY ACTION FOR BREACH OF ANY WARRANTY HEREUNDER INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY MUST BE BROUGHTH WITHIN A PERIOD OF 90 DAYS FROM DATE OF ORIGINAL PURCHASE.IN NO CASE SHALL THE COMPANY BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES FOR BREACH OF THIS OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, WHATSOEVER. No person or representative is authorized to assume for the company any liability other than expressed herein in connection with the sale of this product. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damage, therefore above limitations may not apply to you. This warranty gives the purchaser specific legal rights. The purchaser may have additional rights, which vary from state to state.

Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damage, therefore above limitations may not apply to you. This warranty gives the purchaser specific legal rights. The purchaser may have additional rights, which vary from state to state.

For Technical Support/Warranty Information please call 310-762-9944