



5150 Eucalyptus Avenue Unit A
 Chino, Ca. 91710
 888.360.3696
 www.anzousa.com



Installation Manual:

Part Number: 121459,121460 KIA
 OPTIMA 11-13 PROJECTOR
 HEADLIGHTS HALO

Tools Needed:

- 10mm Socket
- Phillip Screw Driver
- Plastic Pin Remover

Completely read all the instructions before installation
 Improper installation will void warranty!

Step 1



Open the hood to begin

Step 2



Remove push pins located on top of the plastic cover

Step 3



Remove (2) 10mm bolts located on top of the headlight

Step 4



Before removing the plastic cover remove (2) 10mm bolts from the air intake

Step 5



Remove (2) 10mm bolts located on each side of the bumper

Step 6



Remove the bumper from the clip

Step 7



Remove (1) screw located on each side of the fender wall

Step 8




Gently pull the side bumper towards you

Step 9



Before removing the bumper remove (1) 10mm bolt followed by push pins located underneath the bumper

Step 10



When taking out the headlight gently pull the headlight up and towards you to prevent damage on the clips where the headlight clips on to

Step 13



Test all functions before operating the vehicle

Step 11



Remove the OE harness from the back of the headlight

Step 12



To install your new Anzo headlights reverse steps 11-2

AnzoUSA™ products are covered, by a limited one (1) year warranty, to be free of manufacturer's defects. However, certain AnzoUSA™ product categories have warranty policies which differ from this standard, please contact your representative for detailed category information. Damage due to improper installation or road hazards is not covered. Seller and manufacturers' only obligations shall be to replace the product proven to be defective. Neither seller nor manufacturer shall be liable for any injury, loss or damage, direct or consequential, arising out of the use of or the inability to use the product. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.



