



(Part Number – 11252.05)

## **2007 Jeep® Wrangler hood Lock**

### **Installation & Adjustment Instructions**

#### **Step (1)**

Open hood of vehicle and prop up securely. Before proceeding, make sure the factory hood latch is adjusted and working properly.

#### **Step (2)**

Locate the (6) plastic screws that attach the front grille to the upper body support (Fig. 1).

(Fig.1)



(Fig.2)



unscrew the plastic screws using a Phillips head screw driver.

Note: the plastic screws can be pulled out by hand after they have been loosened. (Fig. 2)

If screws do not want to back out a small flat head screwdriver can be used to pry the screws upward.

#### **Step (3)**

With the screws removed pop out the black retainer clip. (Fig. 3)

(Fig.3)



(Fig.4)



**Step (4)**

Gently pull the grille forward (fig. 4). If desired the grille can be removed by disconnecting the two front turn signal bulbs and gently popping the grille from its lower retaining clips. (Fig. 5 – 6)

(Fig.5)



(Fig.6)



**Step (5)**


Insert the backing plate through the lower opening of the top grill support (Fig. 7)

Note: The backing plate's safety tab should point towards the motor. (Fig. 8)

(Fig.7)



(Fig.8)



**Step (6)**

Secure the front lock plate with the two screws supplied. Align the inner plate and secure one side of the lock plate (do not tighten). Align the inner plate's second mounting hole and install second screw. Tighten securely. (Fig. 9 -10)

(Fig.9)



(Fig.10)



**Step (7)**

Test by closing hood and turning key in a counter clockwise direction with key positioned vertically. Key should be able to be removed easily. (Fig. 11-12)

If the key cannot be removed, slightly bend tab in small adjustments (Fig. 13) until key is free.

(Fig.11)



(Fig.12)



(Fig.13)



**Step (8)**

Reinstall grille in the reverse as described in **Steps 2-4**.

**Warnings**

NEVER drive your vehicle without properly securing all latches. This lock is not a replacement of any factory installed equipment and must be used in conjunction to avoid any damage to your persons or vehicle. NO lock has a 100% effective guarantee, use common sense when using and always park in well light areas.

**Maintenance.**

Frequent lubrication of the lock face and internal components are required. A small amount of bearing grease or Vaseline should be smeared over the face of the lock to help maintain proper function over time. Monthly checks need to be made to insure a long operating life.



**LIMITED 90 DAY WARRANTY**

**Applies to Rugged Ridge by Omix-ada Inc. Products**

Rugged Ridge Off Road (the Company) warrants to the original purchaser of this product that should the product or any part thereof, under normal use and conditions, be proven defective in material or workmanship within 90 DAYS from the date of original purchase, such defect(s) will be repaired or replaced or credited at the Company's sole option.

To obtain repair or replacement within the terms of this Warranty, the product is to be delivered with proof of warranty coverage (e.g. Dated bill of sale), specification of defect(s) to the place of purchase or, with prior approval from the Company (Return Authorization Number is required), freight pre-paid to the Company address listed below.

This warranty does not apply to any product or part thereof which, in the opinion of the Company, has suffered or been damaged through alteration, improper installation, mishandling, misuse, neglect, accident or by acts of nature. THE EXTENT OF THE COMPANY'S LIABILITY UNDER THIS WARRANTY IS LIMITED TO THE REPAIR OR REPLACEMENT PROVIDED ABOVE AND, IN NO EVENT, SHALL THE COMPANY'S LIABILITY EXCEED THE PURCHASE PRICE PAID BY PURCHASER FOR THE PRODUCT.

This Warranty is in lieu of all express warranties or liabilities. ANY IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, SHALL BE LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY. ANY ACTION FOR BREACH OF ANY WARRANTY HEREUNDER INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY MUST BE BROUGHT WITHIN THE PERIOD OF 90 DAYS FROM DATE OF ORIGINAL PURCHASE.

IN NO CASE SHALL THE COMPANY BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES FOR BREACH OF THIS OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WHATSOEVER. No person or representative is authorized to assume for the Company any liability other than expressed herein in connection with the sale of this product.

Some States do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damage, so the above limitations may not apply to you. This warranty gives you specific legal rights and you may also have other rights, which vary from state to state.

Omix-ada Inc.  
460 Horizon Dr. Suite 400  
Suwanee, Georgia 30024

